of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 13:53:24 ON 15 JUL 2004

=> le reg
THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE
Some commands only work in certain files. For example, the EXPAND
command can only be used to look at the index in a file which has an
index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of
commands which can be used in this file.

=> file reg
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

11

14

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 13:53:34 ON 15 JUL 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 13 JUL 2004 HIGHEST RN 709042-93-3 DICTIONARY FILE UPDATES: 13 JUL 2004 HIGHEST RN 709042-93-3

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=>

Uploading C:\Examination Auxillary files\09995987\09995987 third try fixed H.str

chain nodes :

1 2 3 4 5 6 7 8 9 10 11 12 14

chain bonds :

1-2 1-12 2-3 2-7 3-4 3-8 3-9 4-5 5-6 5-10 6-11 6-14

exact/norm bonds:

4-5 5-6 6-11 6-14

exact bonds :

1-12 2-3 3-4 3-8 3-9 5-10

normalized bonds :

1-2 2-7

G1:C,O,S,N

Hydrogen count :
4:>= minimum 2
Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 14:CLASS

## L1 STRUCTURE UPLOADED


## => id 11

COMBINATION OF STRUCTURE AND TEXT TERMS NOT VALID
The query entered contains both search terms created by
structure-building or screen commands and text search terms. L#s
created via the STRUCTURE or SCREEN commands must be searched in the
structures files separately from text terms or profiles. The L#
answer sets from structure searches can be used in crossover searches
and can be combined with text terms.

=> d 11

L1 HAS NO ANSWERS

L1 STR



G1 C, O, S, N

Structure attributes must be viewed using STN Express query preparation.

=> search 11 sss sam
SAMPLE SEARCH INITIATED 13:54:06 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 21 TO ITERATE

100.0% PROCESSED 21 ITERATIONS SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*
146 TO 694

PROJECTED ITERATIONS: 146 TO 694
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> search l1 sss full FULL SEARCH INITIATED 13:54:14 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 508 TO ITERATE

100.0% PROCESSED 508 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

L3 1 SEA SSS FUL L1

=> d scan

L3 1 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN Propanoic acid, 2,2-difluoro-3-[[(phenylmethoxy)carbonyl]amino]- (9CI)

MF C11 H11 F2 N O4

 $\begin{array}{c|c} & \text{O} \\ \parallel \\ \text{Ph-CH}_2 - \text{O-C-NH-CH}_2 - \text{CF}_2 - \text{CO}_2 \text{H} \end{array}$ 

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 155.84 156.05

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 13:54:28 ON 15 JUL 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Jul 2004 VOL 141 ISS 3 FILE LAST UPDATED: 14 Jul 2004 (20040714/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> 13

L4 1 L3

=> d l4 ti fbib abs

- L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Preparation of ureidomethylbenzoylaminodifluoropropionates as glucagon antagonists/inverse agonists.
- AN 2002:391685 CAPLUS
- DN 136:385945
- TI Preparation of ureidomethylbenzoylaminodifluoropropionates as glucagon antagonists/inverse agonists.

```
Jorgensen, Anker Steen; Madsen, Peter
PA
     Novo Nordisk A/S, Den.
SO
     PCT Int. Appl., 85 pp.
     CODEN: PIXXD2
DT
     Patent
LΑ
     English
FAN.CNT 1
     PATENT NO.
                      KIND DATE
                                            APPLICATION NO. DATE
     ----- ---- ----
                             _____
                                             -----
PΙ
     WO 2002040446
                       A1
                                            WO 2001-DK760 20011115
                             20020523
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
              LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,
              PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,
             UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
              CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
             BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
                                             DK 2000-1733 A 20001117
     AU 2002023502
                        Α5
                             20020527
                                             AU 2002-23502 20011115
                                             DK 2000-1733 A 20001117
                                             WO 2001-DK760 W 20011115
     EP 1345891
                        A1
                             20030924
                                             EP 2001-996529 20011115
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
                                             DK 2000-1733
                                                            A 20001117
                                             WO 2001-DK760 W 20011115
     JP 2004513936
                        T2
                             20040513
                                             JP 2002-542774
                                                               20011115
                                             DK 2000-1733 A 20001117
                                             WO 2001-DK760 W 20011115
     US 2003027849
                       Α1
                             20030206
                                             US 2001-995987
                                                               20011116
                                             DK 2000-1733 A 20001117
                                             US 2000-252322PP 20001120
OS
     MARPAT 136:385945
     HO2CCF2CH2NHCOZCHR2N(E)XD [R2 = H, alkyl; Z = (substituted) arylene,
AΒ
     heteroarylene; X = (CH2)q(CR12R13)r(CH2)s, CO(CR12R13)r(CH2)s,
     NR11CO(CR12R13)r(CH2)s, etc.; r = 0, 1; s = 0-3; R11, R12, R13 = H,
     alkyl; D = (substituted) Ph, naphthyl, pyridyl, indenyl, benzothienyl,
     thienyl, furyl, benzofuryl, etc.; E = (substituted) cyclohexyl, Ph, PhCH2, PhCH2CH2, indanyl, benzhydryl, etc.], were prepared Thus, Me
     4\hbox{-[(4-cyclohex-1-enylphenylamino)methyl]} benzoate \ (\texttt{preparation given}) \ \texttt{in CH2C12}
     containing diisopropylethylamine was treated with 3,5-dichlorophenyl
     isocyanate to give a residue which was saponified with LiOH. The resulting
     acid in DMF was treated with 3-[(dimethyliminium)(dimethylamino)methyl]-
     1,2,3-benzotriazol-1-ium-1-olate hexafluorophosphate,
     diisopropylethylamine, Me 3-amino-2,2-difluoropropionate hydrochloride to
     give the uncharacterized amide ester, which was saponified with aqueous LiOH in
     THF/MeOH to give 3-[4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-
     dichlorophenyl)ureidomethyl]benzoylamino]-2,2-difluoropropionic acid.
     a human glucagon receptor binding assay, title compds. showed IC50<1000
     nM.
RE.CNT 3
              THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
              ALL CITATIONS AVAILABLE IN THE RE FORMAT
=> logoff hold
COST IN U.S. DOLLARS
                                                   SINCE FILE
                                                                    TOTAL
                                                        ENTRY
                                                                  SESSION
FULL ESTIMATED COST
                                                         3.14
                                                                   159.19
```

SINCE FILE

ENTRY

TOTAL

SESSION

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

ΙN

-0.74 -0.74CA SUBSCRIBER PRICE

SESSION WILL BE HELD FOR 60 MINUTES STN INTERNATIONAL SESSION SUSPENDED AT 13:55:10 ON 15 JUL 2004

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1623PAZ

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

Web Page URLs for STN Seminar Schedule - N. America NEWS 1

NEWS 2 "Ask CAS" for self-help around the clock

NEWS 3 May 12 EXTEND option available in structure searching
NEWS 4 May 12 Polymer links for the POLYLINK command completed in REGISTRY
NEWS 5 May 27 New UPM (Update Code Maximum) field for more efficient patent SDIs in CAplus

NEWS 6 May 27 CAplus super roles and document types searchable in REGISTRY

NEWS 7 Jun 22 STN Patent Forums to be held July 19-22, 2004

NEWS 8 Jun 28 Additional enzyme-catalyzed reactions added to CASREACT

NEWS 9 Jun 28 ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG, and WATER from CSA now available on STN(R)

NEWS 10 Jul 12 BEILSTEIN enhanced with new display and select options, resulting in a closer connection to BABS

NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS INTER General Internet Information

NEWS LOGIN Welcome Banner and News Items

NEWS PHONE Direct Dial and Telecommunication Network Access to STN

CAS World Wide Web Site (general information) NEWS WWW

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 06:14:34 ON 16 JUL 2004

## => ile req

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.